



CDL

Computer Disposals Limited

Battery guidance notes 2018

This guide provides information for the safe storage of the following battery types, as well as relevant CDL and 3rd party recyclers permit information

Lead Acid*

Nickel Cadmium* (Ni-Cd)

Alkaline (Household)

Lithium Ion (Li-on)

Lithium

Nickel Metal Hydride (Ni-Mh)

Computer Disposals Ltd EA Permit


G&P Batteries EA Permit

Battery Type	Lead Acid Batteries (Rechargeable)
Inbound EWC Code	200133*
Outbound EWC Code	160601*
UN Identification Number	UN 2794
Common Usage	Cars FLT Golf Carts UPS
Battery Examples	
Battery Storage Instructions	<p>Batteries should remain dry, cool and stored in a non-metallic water tight container.</p> <p>Any exposed terminals are to be insulated with tape.</p> <p>Ensure that the container is stored away from combustible materials.</p> <p>If any of the batteries have trailing wires these should have their ends securely taped up with insulation tape.</p> <p>If batteries are layered, cardboard or a suitable non-conductive material should be used to separate the layers.</p>
Battery Storage Container	



Battery Type	Nickel Cadmium Ni-Cd Batteries (Rechargeable)
Inbound EWC Code	200133*
Outbound EWC Code	160602*
UN Identification Number	3028
Common Usage	Older power tools Emergency lighting Older portable battery operated devices Medical Batteries
Battery Examples	
Battery Storage Instructions	Batteries should remain dry, cool and stored in a non-metallic, water tight container. Ensure that the container is stored away from combustible materials. If any of the batteries have trailing wires these should have their ends securely taped up with insulation tape. 
Battery Storage Container	



Battery Type	Alkaline Batteries (Non Rechargeable)
Inbound EWC Code	200134
Outbound EWC Code	160604
UN Identification Number	UN Number 3028
Common Usage	Domestic Cameras Toys Household batteries AA, AAA, C, D Etc
Battery Examples	 A collection of various alkaline batteries, including AA, AAA, C, and D sizes, some in their original packaging and some loose. One battery has a red and black wire attached to its terminals.
Battery Storage Instructions	<p>Batteries should remain dry, cool and stored in a non-metallic water tight container.</p> <p>Ensure that the container is stored away from combustible materials.</p> <p>If any of the batteries have trailing wires these should have their ends securely taped up with insulation tape.</p>  A close-up image of a battery with its positive and negative terminals covered by pieces of white electrical tape. The battery is resting on a surface with some printed text.
Battery Storage Container Example	 Two examples of suitable storage containers: on the left, three blue plastic jerrycans of different sizes; on the right, a large black plastic storage bin with a red lid.



Battery Type	Lithium ion Batteries (Rechargeable)
Inbound EWC Code	200134
Outbound EWC Code	160605
UN Identification Number	UN Number 3480
Common Usage	Laptops Modern Mobile Telephones Modern Portable Appliances Medical Equipment Power Tools
Battery Examples	
Battery Storage Instructions	<p>Batteries should remain dry, cool and stored in a non-metallic, air tight, water tight container.</p> <p>Ensure that the container is stored away from combustible materials.</p> <p>If any of the batteries have trailing wires these should have their ends securely taped up with insulation tape.</p> 
Battery Storage Container	



Battery Type	Lithium Batteries (Non Rechargeable)
Inbound EWC Code	200134
Outbound EWC Code	160605
UN Identification Number	UN Number 3090
Common Usage	Domestic Cameras Toys ect
Battery Examples	
Battery Storage Instructions	<p>Batteries should remain dry, cool and stored in a non-metallic, air tight, water tight container.</p> <p>Ensure that the container is stored away from combustible materials.</p> <p>If any of the batteries have trailing wires these should have their ends securely taped up with insulation tape.</p>  <p>Batterys should be layered with Vermiculite in between layers, this prevents terminals from touching</p>
Battery Storage Container	



CDL

Computer Disposals Limited

Battery Type	Nickel Metal Hydride Batteries Ni-MH (Rechargeable)
Inbound EWC Code	200134
Outbound EWC Code	160605
UN Identification Number	UN Number 3496
Common Usage	Old mobile phones Older power tools Emergency lighting Older portable battery operated devices Medical Batteries
Battery Examples	
Battery Storage Instructions	<p>Batteries should remain dry, cool and stored in a non-metallic water tight container.</p> <p>Ensure that the container is stored away from combustible materials.</p> <p>If any of the batteries have trailing wires these should have their ends securely taped up with insulation tape.</p> 
Battery Storage Container	

Permit

The Environmental Permitting (England & Wales) Regulations 2010

Computer Disposals Limited

CDL House
Davy Road
Astmoor
Runcom
WA7 1PZ

Permit number

EPR/BB3505UA

Standard rules SR2008No23_75kte – waste electrical and electronic equipment authorised treatment facility (ATF) excluding ozone-depleting substances

Introductory note

This introductory note does not form part of these standard rules

When referred to in an environmental permit, these rules will allow the operator to operate a Waste Electrical and Electronic Equipment (WEEE) authorised treatment facility at a specified location. The total quantity of waste that can be accepted at a site under these rules must be less than 75,000 tonnes a year. The rules will not permit the acceptance or treatment of WEEE containing ozone-depleting substances. The treatment and storage of WEEE must meet the technical requirements of the WEEE Directive (2002/96/EC as amended by 2003/108/EC). Treatment of WEEE must be carried out using Best Available Treatment, Recovery and Recycling Techniques (BATRRRT). Guidance on BATRRRT is provided in the document “Guidance on Best Available Treatment, Recovery and Recycling Techniques (BATRRRT) and treatment of Waste Electrical and Electronic Equipment (WEEE)” published jointly by the Department for Environment, Food and Rural Affairs, the Welsh Assembly Government and the Scottish Executive.

WEEE treatment must be carried out inside a building. Treatment includes, dismantling, separation, shredding, screening, grading, baling, shearing, compacting, crushing, granulation, repair or refurbishment, or cutting of waste into different components for recovery. The permitted activities must not be carried out within 200 metres of a European Site¹, Ramsar site or a Site of Special Scientific Interest (SSSI). The activities shall not be carried out within 50m of any well spring or borehole used for the supply of water for human consumption. This must include private water supplies. These rules will also not permit the burning of any wastes, either in the open, inside buildings or in any form of incinerator.

These rules do not allow any point source emission into surface waters or groundwater. However, under the emissions of substances not controlled by emission limits rule:

- Liquids may be discharged into a sewer subject to a consent issued by the local water company.
- Liquids may be taken off-site in a tanker for disposal or recovery.
- Clean surface water from roofs, or from areas of the site that are not being used in connection with storing and treating waste, may be discharged directly to surface waters, or to groundwater by seepage through the soil via a soakaway.

¹ A candidate or Special Area of Conservation (cSAC or SAC) and proposed or Special Protection Area (pSPA or SPA) in England and Wales.

End of introductory note

Rules

1 – Management

1.1 General management

- 1.1.1 The operator shall manage and operate the activities:
- (a) in accordance with a written management system that identifies and minimises risks of pollution, including those arising from operations, maintenance, accidents, incidents, non-conformances, closure and those drawn to the attention of the operator as a result of complaints; and
 - (b) using sufficient competent persons and resources.
- 1.1.2 Records demonstrating compliance with rule 1.1.1 shall be maintained.
- 1.1.3 Any person having duties that are or may be affected by the matters set out in these standard rules shall have convenient access to a copy of them kept at or near the place where those duties are carried out.
- 1.1.4 The operator shall comply with the requirements of an approved competence scheme.

1.2 Avoidance, recovery and disposal of wastes produced by the activities

- 1.2.1 The operator shall take appropriate measures to ensure that:
- (a) the waste hierarchy referred to in Article 4 of the Waste Framework Directive is applied to the generation of waste by the activities; and
 - (b) any waste generated by the activities is treated in accordance with the waste hierarchy referred to in Article 4 of the Waste Framework Directive; and
 - (c) where disposal is necessary, this is undertaken in a manner which minimises its impact on the environment.
- 1.2.2 The operator shall review and record at least every four years whether changes to those measures should be made and take any further appropriate measures identified by a review.

2 – Operations

2.1 Permitted activities

- 2.1.1 The operator is only authorised to carry out the activities specified in table 2.1 below ("the activities").

Table 2.1 activities	
Description of activities	Limits of activities
<p>R13: Storage of wastes pending any of the operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where it is produced)</p> <p>R3: Recycling/reclamation of organic substances which are not used as solvents</p> <p>R4: Recycling/reclamation of metals and metal compounds</p> <p>R5: Recycling/reclamation of other inorganic materials</p> <p>D15: Storage pending any of the operations numbered D1 to D14 (excluding temporary storage, pending collection, on the site where it is produced)</p>	<p>Treatment consisting only of sorting, dismantling, separation, shredding, screening, grading, baling, shearing, compacting, crushing, granulation, repair or refurbishment, or cutting of waste into different components for recovery.</p> <p>The capacity of the site for hazardous waste subject to an R5 activity shall not exceed 10 tonnes per day.</p> <p>Wastes shall be stored for no longer than 1 year prior to disposal or 3 years prior to recovery.</p> <p>The maximum quantity of hazardous waste received at the site for disposal shall not exceed 10 tonnes per day.</p> <p>The maximum quantity of hazardous waste stored at the site for disposal shall not exceed 10 tonnes.</p>

2.2 Waste acceptance

2.2.1 Waste shall only be accepted if:

- (a) it is of a type and quantity listed in table 2.2 below; and
- (b) it conforms to the description in the documentation supplied by the producer and holder.

Table 2.2 Waste types and quantities	
Maximum Quantities	
The total quantity of waste accepted at the site shall be less than 75,000 tonnes a year.	
Exclusions	
Wastes having any of the following characteristics shall not be accepted:	
<ul style="list-style-type: none"> • Consisting solely or mainly of dusts, powders or loose fibres • Containing ozone-depleting substances 	
Waste Code	Description

09	WASTES FROM THE PHOTOGRAPHIC INDUSTRY
09 01	wastes from the photographic industry
09 01 11*	single-use cameras containing batteries included in 16 06 01, 16 06 02 or 16 06 03
09 01 12	single-use cameras containing batteries other than those mentioned in 09 01 11
15	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED
15 01	packaging (including separately collected municipal packaging waste)
15 01 06	mixed packaging
16	WASTES NOT OTHERWISE SPECIFIED IN THE LIST
16 02	wastes from electrical and electronic equipment
16 02 09*	transformers and capacitors containing PCBs
16 02 10*	discarded equipment containing or contaminated by PCBs other than those mentioned in 16 02 09
16 02 12*	discarded equipment containing free asbestos
16 02 13*	discarded equipment containing hazardous components other than those mentioned in 16 02 09 to 16 02 12
16 02 14	discarded equipment other than those mentioned in 16 02 09 to 16 02.13
16 02 15*	hazardous components removed from removed from discarded equipment
16 02 16	components removed from discarded equipment other than those mentioned in 16 02 15
16 06	batteries and accumulators
16 06 01*	lead batteries
16 06 02*	Ni-Cad batteries
16 06 03*	mercury-containing batteries
16 06 04	alkaline batteries (except 16 06 03)
16 06 05	other batteries and accumulators
20	MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS
20 01	separately collected fractions (except 15 01)
20 01 21*	fluorescent tubes and other mercury-containing waste
20 01 33*	Batteries and accumulators included in 16 06 01, 16 06 02 or 16 06 03 and unsorted batteries and accumulators containing these batteries.
20 01 34	Batteries and accumulators other than those mentioned in 20 01 33
20 01 35*	discarded electrical and electronic equipment other than those mentioned in 20 01 21 and 20 01 23 containing hazardous components
20 01 36	discarded electrical and electronic equipment other than those mentioned in 20 01 21, 20 01 23 and 20 01 35

2.3 Operating techniques

2.3.1 The activities shall be operated using the techniques and in the manner described in Table 2.3 below.

Table 2.3 Operating techniques

1. Treatment of WEEE
 - shall be carried out within a building provided with a weatherproof covering;
 - shall be carried out on an impermeable surface with sealed drainage system with provision of spillage collection facilities and, where appropriate, decanters and cleanser degreasers.
2. Storage
 - WEEE, disassembled spare parts, components or residues shall be stored on an impermeable surface with sealed drainage system with provision of spillage collection facilities and, where appropriate, decanters and cleanser degreasers;
 - WEEE, disassembled spare parts, components or residues shall be stored in areas provided with a weatherproof covering where appropriate or in containers providing a weatherproof covering where appropriate;
 - disassembled spare parts containing liquids shall be stored in appropriate containers;
 - Batteries, PCBs/PCTs containing capacitors and other hazardous wastes must be stored in dedicated, labelled and appropriate containers
3. Buildings, covered areas or containers shall meet the following requirements:
 - buildings, covered areas, or containers shall be designed, constructed and maintained to prevent ingress of rain and surface water;
 - rain and uncontaminated surface water shall be kept separate from contaminated water and other liquids;
 - containers shall be stored on an impermeable surface with sealed drainage system.

2.4 The site

- 2.4.1 The activities shall not extend beyond the site, being the land shown edged in green on the site plan attached to the permit.
- 2.4.2 The activities shall not be carried out within 200 metres of a European Site or a SSSI.
- 2.4.3 The activities shall not be carried out within 50m of any well spring or borehole used for the supply of water for human consumption. This includes private water supplies.

2.5 Technical requirements

- 2.5.1 The storage (including temporary storage) and treatment of WEEE shall be carried out in accordance with the technical requirements of Annex III of the WEEE Directive.
- 2.5.2 WEEE shall be treated using best available treatment, recovery and recycling techniques (BATRRRT).
- 2.5.3 Hazardous waste shall not be mixed, either with a different category of hazardous waste or with other waste, substances or materials, unless it is authorised by table 2.1 and appropriate measures are taken.

2.5.4 As a minimum, the substances, preparations and components specified in table 2.4 shall be removed from any separately collected WEEE.

Table 2.4 Substances, preparations and components to be removed from separately collected WEEE

- Capacitors containing Polychlorinated biphenyls (PCB)
- Mercury-containing components, such as switches or backlighting lamps
- Batteries
- Printed circuit boards of mobile phones generally, and of other devices if the surface of the printed circuit board is greater than 10 square centimetres
- Toner cartridges, liquid and pasty, as well as colour toner
- Plastic containing brominated flame retardants
- Asbestos waste and components which contain asbestos
- Cathode ray tubes
- Chlorofluorocarbons (CFC), hydrochlorofluorocarbons (HCFC), hydrofluorocarbons (HFC), or hydrocarbons (HC)
- Gas discharge lamps
- Liquid crystal displays (together with their casing where appropriate) of a surface greater than 100 square centimetres and all those back-lighted with gas discharge lamps
- External electric cables
- Components containing refractory ceramic fibres
- Components containing radioactive substances with the exception of components that are below the exemption thresholds set in Article 3 of and the Annex I to Council Directive 96/29/Euratom of 13 May 1996 laying down basic safety standards for the protection of the health of workers and the general public against the dangers arising from ionising radiation
- Electrolytic capacitors containing “substances of concern” (height > 25mm, diameter > 25 mm or proportionately similar volume)

2.5.5 All fluids contained within any WEEE shall be removed prior to further treatment.

2.5.6 Separately collected components of WEEE specified in table 2.5 shall be treated in accordance with the methods specified in that table.

Table 2.5 Specified Treatment Methods for separately collected components of WEEE

Component	Specified Treatment
Cathode ray tubes	The fluorescent coating shall be removed.
Gas discharge lamps	The mercury shall be removed.

2.5.7 Equipment shall be provided to record the weight of untreated WEEE accepted at, and components and materials leaving the site.

2.5.8 Treatment of waste batteries and accumulators must meet the minimum requirements set out in Annex III, Part A of Directive 2006/66/EC of the European Parliament and of the Council on batteries and accumulators and waste batteries and accumulators and repealing Directive 91/157/EEC.

3 – Emissions and monitoring

3.1 Emissions of substances not controlled by emission limits

3.1.1 Emissions of substances not controlled by emission limits (excluding odour) shall not cause pollution. The operator shall not be taken to have breached this rule if appropriate measures, including, but not limited to, those specified in any approved emissions management plan, have been taken to prevent or where that is not practicable, to minimise, those emissions.

3.1.2 The operator shall:

- (a) if notified by the Environment Agency that the activities are giving rise to pollution, submit to the Environment Agency for approval within the period specified, an emissions management plan;
- (b) implement the approved emissions management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3.1.3 All liquids in containers, whose emission to water or land could cause pollution, shall be provided with secondary containment, unless the operator has used other appropriate measures to prevent or where that is not practicable, to minimise, leakage and spillage from the primary container.

3.2 Odour

3.2.1 Emissions from the activities shall be free from odour at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved odour management plan, to prevent or where that is not practicable, to minimise, the odour.

3.2.2 The operator shall:

- (a) if notified by the Environment Agency that the activities are giving rise to pollution outside the site due to odour, submit to the Environment Agency for approval within the period specified, an odour management plan;
- (b) implement the approved odour management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3.3 Noise and vibration

3.3.1 Emissions from the activities shall be free from noise and vibration at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved noise and vibration management plan, to prevent or where that is not practicable, to minimise, the noise and vibration.

3.3.2 The operator shall:

- (a) if notified by the Environment Agency that the activities are giving rise to pollution outside the site due to noise and vibration, submit to the Environment Agency for approval within the period specified, a noise and vibration management plan;
- (b) implement the approved noise and vibration management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

4 – Information

4.1 Records

4.1.1 All records required to be made by these standard rules shall:

- (a) be legible;
- (b) be made as soon as reasonably practicable;
- (c) if amended, be amended in such a way that the original and any subsequent amendments remain legible or are capable of retrieval; and
- (d) be retained, unless otherwise agreed by the Environment Agency, for at least 6 years from the date when the records were made, or in the case of the following records until permit surrender:
 - (i) off-site environmental effects; and
 - (ii) matters which affect the condition of land and groundwater.

4.1.2 The operator shall keep on site all records, plans and the management system required to be maintained by these standard rules, unless otherwise agreed in writing by the Environment Agency.

4.2 Reporting

4.2.1 The operator shall send all reports and notifications required by these standard rules to the Environment Agency using the contact details supplied in writing by the Environment Agency.

4.2.2 Within one month of the end of each quarter, the operator shall submit to the Environment Agency using the form made available for the purpose, the information specified on the form relating to the site and the waste accepted and removed from it during the previous quarter.

4.3 Notifications

4.3.1 The Environment Agency shall be notified without delay following the detection of:

- (a) any malfunction, breakdown or failure of equipment or techniques, accident or emission of a substance not controlled by an emission limit which has caused, is causing or may cause significant pollution;
- (b) the breach of a limit specified in these standard rules; or
- (c) any significant adverse environmental effects.

4.3.2 Written confirmation of actual or potential pollution incidents and breaches of emission limits shall be submitted within 24 hours.

4.3.3 Where the Environment Agency has requested in writing that it shall be notified when the operator is to undertake monitoring and/or spot sampling, the operator shall inform the Environment Agency when the relevant monitoring and/or spot sampling is to take place. The operator shall provide this information to the Environment Agency at least 14 days before the date the monitoring is to be undertaken.

4.3.4 The Environment Agency shall be notified within 14 days of the occurrence of the following matters except where such disclosure is prohibited by Stock Exchange rules:

- a) Where the operator is a registered company:
 - any change in the operator's trading name, registered name or registered office address; and
 - any steps taken with a view to the operator going into administration, entering into a company voluntary arrangement or being wound up.
- b) Where the operator is a corporate body other than a registered company:
 - any change in the operator's name or address; and

-
- any steps taken with a view to the dissolution of the operator.
 - c) In any other case:
 - the death of any of the named operators (where the operator consists of more than one named individual);
 - any change in the operator's name(s) or address(es); and
 - any steps taken with a view to the operator, or any one of them, going into bankruptcy, entering into a composition or arrangement with creditors, or, in the case them being in a partnership, dissolving the partnership.

4.4 Interpretation

4.4.1 In these standard rules the expressions listed below shall have the meaning given.

4.4.2 In these standard rules references to reports and notifications mean written reports and notifications, except when reference is being made to notification being made "without delay", in which case it may be provided by telephone.

"accident" means an accident that may result in pollution.

"authorised officer" means any person authorised by the Environment Agency under section 108(1) of The Environment Act 1995 to exercise, in accordance with the terms of any such authorisation, any power specified in Section 108(4) of that Act.

"best available treatment, recovery and recycling techniques" shall have the meaning given to it in the document published jointly by the Department for Environment, Food and Rural Affairs, the Welsh Assembly Government and the Scottish Executive on 27th November 2006, entitled "Guidance on Best Available Treatment, Recovery and Recycling Techniques (BATRR) and Treatment of Waste Electrical and Electronic Equipment (WEEE);

"building" means a construction that has the objective of providing sheltering cover and minimising emissions of noise, particulate matter, odour and litter.

"controlled substances" means chlorofluorocarbons, other fully halogenated chlorofluorocarbons, halons, carbon tetrachloride, 1,1,1-trichloroethane, methyl bromide, hydrobromofluorocarbons and hydrochlorofluorocarbons listed in Annex I of Regulation (EC) No 2037/2000 of the European Parliament and of the Council of 29 June 2000 on substances that deplete the ozone layer, including their isomers, whether alone or in a mixture, and whether they are virgin, recovered, recycled or reclaimed. This definition shall not cover any controlled substance which is in a manufactured product other than a container used for the transportation or storage of that substance, or insignificant quantities of any controlled substance, originating from inadvertent or incidental production during a manufacturing process, from unreacted feedstock, or from use as a processing agent which is present in chemical substances as trace impurities, or that is emitted during product manufacture or handling.

"D" means a disposal operation provided for in Annex IIA to Directive 2006/12/EC of the European Parliament and of the Council of 5 April 2006 on Waste.

"emissions of substances not controlled by emission limits" means emissions of substances to air, water or land from the activities, either from emission points specified in these standard rules or from other localised or diffuse sources, which are not controlled by an emission limit.

"European Site" means Special Area of Conservation or candidate Special Area of Conservation or Special Protection Area or proposed Special Protection Area in England and Wales, within the meaning of Council Directives 79/409/EEC on the conservation of wild birds and 92/43/EEC on the conservation of natural habitats and of wild flora and fauna and the Conservation (Natural Habitats &c) Regulations 1994. Internationally designated Ramsar sites are dealt with in the same way as European sites as a matter of government policy and for the purpose of these rules will be considered as a European Site.

"groundwater" means all water, which is below the surface of the ground in the saturation zone and in direct contact with the ground or subsoil.

"hazardous waste" has the meaning given in the Hazardous Waste (England and Wales) Regulations 2005.

"impermeable surface" means a surface or pavement constructed and maintained to a standard sufficient to prevent the transmission of liquids beyond the pavement surface, and should be read in conjunction with the term "sealed drainage system" (below).

"ozone-depleting substances" "ODS" means "controlled substances" contained in refrigeration, air-conditioning and heat pump equipment, equipment containing solvents, fire protection systems and fire extinguishers.

"*pollution*" means emissions as a result of human activity which may—

- (a) be harmful to human health or the quality of the environment,
- (b) cause offence to a human sense,
- (c) result in damage to material property, or
- (d) impair or interfere with amenities and other legitimate uses of the environment.

"*quarter*" means a calendar year quarter commencing on 1 January, 1 April, 1 July or 1 October.

"*R*" means a recovery operation provided for in Annex IIB to Directive 2006/12/EC of the European Parliament and of the Council of 5 April 2006 on Waste.

"*sealed drainage system*" in relation to an impermeable surface, means a drainage system with impermeable components which does not leak and which will ensure that:

- (a) no liquid will run off the surface otherwise than via the system;
- (b) except where they may lawfully be discharged to foul sewer, all liquids entering the system are collected in a sealed sump.

"*SSSI*" means Site of Special Scientific Interest within the meaning of the Wildlife and Countryside Act 1981 (as amended by the Countryside and Rights of Way Act 2000).

"*waste code*" means the six digit code referable to a type of waste in accordance with the List of Wastes (England) Regulations 2005, or List of Wastes (Wales) Regulations 2005, as appropriate, and in relation to hazardous waste, includes the asterisk.

"*weatherproof covering*" means covering which will prevent the ingress of rainwater.

"*WEEE*" means waste electrical and electronic equipment and has the meaning given by Regulation 2 of The Waste Electrical and Electronic Equipment Regulations 2006.

"*WEEE Directive*" shall have the meaning given to it by regulation 2 of The Waste Electrical and Electronic Equipment (Waste Management Licensing) (England and Wales) Regulations 2006.

"*where appropriate*" in relation to weatherproof covering means where weatherproof covering is required to minimise the contamination of clean surface and rain waters, to facilitate the reuse of whole appliances and components intended for reuse, to assist in the containment of hazardous materials and fluids or where hazardous WEEE is stored.

"*year*" means calendar year commencing on 1st January.

End of standard rules

GEHO0512BWKQ-E-E

Notice of transfer with introductory note

The Environmental Permitting (England & Wales) Regulations 2010

H.J.Enthoven Limited

Crescent Works
Willenhall Road
Darlaston
Walsall
WS10 8JR

Transfer application number

EPR/DB3704FG/T001

Permit number

EPR/DB3704FG

Mr David Brookes
H J Enthoven Ltd TA G&P Batteries
 Crescent Works
 Industrial Park
 Willenhall Road
 DARLASTON
 West Midlands
 WS10 8JR

Our ref: NPWD302095

Date: 08 December 2017

Dear Mr Brookes

**WASTE BATTERIES AND ACCUMULATORS REGULATIONS 2009
 Notification of grant of approval of a waste battery treatment operator**

We have considered your application for approval as a waste battery treatment operator under the Waste Batteries and Accumulators Regulations 2009 ('the Regulations').

Waste Portable Batteries

We hereby grant approval to **H J Enthoven Ltd TA G&P Batteries** to operate as an approved battery treatment operator for waste portable batteries. Your operator approval number is **BT1810479BT**.

Your approval covers the following site only:

Site name and address	Individual site approval number	Tonnage (evidence notes)
H J Enthoven Ltd TA G&P Batteries Crescent Works Industrial Park Willenhall Road DARLASTON West Midlands WS10 8JR	BS1810480BS	Over 15 tonnes

Your approval is subject to the conditions specified in Part 2 and Part 3 of Schedule 4 to the Regulations. Your approval applies only to the named operator for the specified approved site only.

Your approval is valid from 1 January 2018 and ends on 31 December 2018, unless it is otherwise suspended or cancelled.

The approval allows you to issue evidence notes for waste portable batteries which you accept at this site for treatment and recycling. You must issue evidence notes in accordance with the Regulations

Waste Industrial and Automotive Batteries

We hereby grant approval to **H J Enthoven Ltd TA G&P Batteries** to operate as an approved battery treatment operator for waste industrial and automotive batteries. Your operator approval number is **BT1810478BT**.

Your approval covers the following site and categories only:

Site name and address	Battery Category	Individual site approval number	Tonnage limit
H J Enthoven Ltd TA G&P Batteries Crescent Works Industrial Park Willenhall Road DARLASTON West Midlands WS10 8JR	Industrial/Automotive	BS1810481BS	Over 150 tonnes

Your approval is subject to the conditions specified in Part 2 of Schedule 4 to the Regulations. Your approval applies only to the named operator for the specified approved site only.

Your approval is valid from 1 January 2018 and ends on 31 December 2018, unless it is otherwise suspended or cancelled.

The approval allows you to treat and recycle waste industrial and automotive batteries which you accept at this site for treatment and recycling.

Suspension and cancellation of approval

We may suspend or cancel your approval where it appears to us that you have failed or are likely to fail to comply with any of the conditions of approval. Suspension or cancellation may extend to one or more of your approved sites, or may apply to your whole approval. Your whole approval will cease to have effect if you cease to be a battery treatment operator or you request that your approval should be cancelled.

You must notify us immediately, in writing, of any changes to the details submitted with your application.

This approval does not replace any other environmental authorisation that you may have for the site. You must continue to comply with these and other relevant legislation.

creating a better place



Please contact Sarah Boldy on 02084749287 if you have any queries.

Yours sincerely

A blue ink handwritten signature, appearing to read "Michael Brame", written in a cursive style.

Michael Brame
Senior Technical Officer
Producer Responsibility Regulatory Services

Environment Agency, Quadrant 2, 99 Parkway Avenue, Sheffield, S9 4WF. Tel: 03708 506 506
E-mail: batteries@environment-agency.gov.uk www.gov.uk/environment-agency



INVESTOR IN PEOPLE